




# ID Tool:

# BRAKE SHOE CORES ACCEPTED BY BENDIX

Wide Brake Shoes 4"	<div><div>Bendix/Eaton®</div><div>4" 1443E</div><div>2R 14</div><div>15"</div><div>Steer Axles Only</div><div>S</div><div>E</div></div>	<div><div>Bendix/Eaton</div><div>4" 1308E</div><div>2P 14</div><div>15"</div><div>Steer Axles Only</div><div>S</div><div>E</div></div>	<div><div>Bendix/Eaton</div><div>4" 4729E2</div><div>2R 16</div><div>15"</div><div>Steer Axles Only</div><div>S</div><div>E</div></div>	<div><div>Circular Cam-End Style</div><div>4" 1308P</div><div>2T 14</div><div>15"</div><div>Steer Axles Only</div><div>D</div><div>P</div></div>	<div><div>Rockwell/Meritor®</div><div>4" 1308Q</div><div>2R 14</div><div>15"</div><div>Steer Axles Only</div><div>D</div><div>Q</div></div>	<div><div>Rockwell/Meritor</div><div>4" 4702Q</div><div>2R 16</div><div>15"</div><div>Steer Axles Only</div><div>D</div><div>Q</div></div>			
	<div><div>Bendix/Eaton</div><div>5" 4223E</div><div>2P 20</div><div>16 1/2"</div><div>Steer &amp; Trailer Axles</div><div>S</div><div>E</div></div>	<div><div>Bendix/Eaton</div><div>5" 4719E2</div><div>2R 16</div><div>16 1/2"</div><div>Steer &amp; Trailer Axles</div><div>S</div><div>E</div></div>	<div><div>Rockwell/Meritor</div><div>5" 4703Q</div><div>2R 16</div><div>15"</div><div>Steer &amp; Trailer Axles</div><div>D</div><div>Q</div></div>	<div><div>Rockwell/Meritor</div><div>5" 4720Q</div><div>2R 16</div><div>16 1/2"</div><div>Steer &amp; Trailer Axles</div><div>D</div><div>Q</div></div>	<div><div>Rockwell/Meritor</div><div>5" 4524Q</div><div>2P 16</div><div>16 1/2"</div><div>Steer &amp; Trailer Axles</div><div>D</div><div>Q</div></div>	<div><div>Rockwell/Meritor</div><div>5" 4524QM</div><div>2T 16</div><div>16 1/2"</div><div>Steer &amp; Trailer Axles</div><div>D</div><div>Q</div></div>			
	<div><div>Bendix/Eaton</div><div>6" 4317E</div><div>2P 14</div><div>16 1/2"</div><div>Steer &amp; Trailer Axles</div><div>S</div><div>E</div></div>	<div><div>Bendix/Eaton</div><div>6" 4725E2</div><div>2R 14</div><div>16 1/2"</div><div>Steer &amp; Trailer Axles</div><div>S</div><div>E</div></div>	<div><div>Rockwell/Meritor</div><div>6" 4715Q</div><div>2R 24</div><div>16 1/2"</div><div>Steer, Drive &amp; Trailer</div><div>D</div><div>Q</div></div>	<div><div>Rockwell/Meritor</div><div>6" 4514Q</div><div>2P 24</div><div>16 1/2"</div><div>Steer, Drive &amp; Trailer</div><div>D</div><div>Q</div></div>					
	<div><div>Bendix/Eaton</div><div>7" 4311E</div><div>2P 28</div><div>16 1/2"</div><div>Drive &amp; Trailer Axles</div><div>S</div><div>E</div></div>	<div><div>Bendix/Eaton</div><div>7" 4709E</div><div>2X 28</div><div>16 1/2"</div><div>Steer, Drive &amp; Trailer</div><div>S</div><div>E</div></div>	<div><div>Bendix/Eaton</div><div>7" 4709E2</div><div>2X 28</div><div>16 1/2"</div><div>Steer, Drive &amp; Trailer</div><div>S</div><div>E</div></div>	<div><div>Bendix/Eaton</div><div>7" 4709E (UNIVERSAL)</div><div>2X 28</div><div>16 1/2"</div><div>Steer, Drive &amp; Trailer</div><div>S</div><div>E</div></div>	<div><div>Rockwell/Meritor</div><div>7" 4708Q</div><div>2T 28</div><div>16 1/2"</div><div>Drive &amp; Trailer Axles</div><div>D</div><div>Q</div></div>	<div><div>Rockwell/Meritor</div><div>7" 4707Q</div><div>2W 28</div><div>16 1/2"</div><div>Drive &amp; Trailer Axles</div><div>D</div><div>Q</div></div>	<div><div>Rockwell/Meritor</div><div>7" 4515Q</div><div>2Q 32</div><div>16 1/2"</div><div>Drive &amp; Trailer Axles</div><div>D</div><div>Q</div></div>	<div><div>Fruehauf®</div><div>7" 4515X3</div><div>2P 32</div><div>16 1/2"</div><div>Drive &amp; Trailer Axles</div><div>D</div><div>X</div></div>	<div><div>Circular Cam-End Style</div><div>7" 4515P</div><div>2T 32</div><div>16 1/2"</div><div>Drive &amp; Trailer Axles</div><div>S</div><div>P</div></div>
	<div><div>Bendix/Eaton</div><div>7 1/2" 4692FC2</div><div>2P 20</div><div>12 1/2"</div><div>Drive &amp; Trailer Axles</div><div>D</div><div>E</div></div>		<div><div>Bendix/Eaton</div><div>8" 47X8</div><div>2R 32</div><div>16 1/2"</div><div>Drive &amp; Trailer Axles</div><div>S</div><div>E</div></div>	<div><div>Rockwell/Meritor</div><div>8" 4718Q</div><div>2R 32</div><div>16 1/2"</div><div>Drive &amp; Trailer Axles</div><div>D</div><div>Q</div></div>					
	Wide Brake Shoes 8 5/8"	<div><div>Circular Cam-End Style</div><div>8 5/8" 4551P</div><div>2T 32</div><div>16 1/2"</div><div>Drive &amp; Trailer Axles</div><div>D</div><div>P</div></div>	<div><div>Bendix/Eaton</div><div>8 5/8" 4726E2</div><div>2R 32</div><div>16 1/2"</div><div>Drive &amp; Trailer Axles</div><div>S</div><div>E</div></div>	<div><div>Bendix/Eaton</div><div>8 5/8" 4717E2</div><div>2R 32</div><div>15"</div><div>Drive &amp; Trailer Axles</div><div>S</div><div>E</div></div>	<div><div>Bendix/Eaton</div><div>8 5/8" 4674E</div><div>2T 20</div><div>15"</div><div>Drive &amp; Trailer Axles</div><div>S</div><div>E</div></div>	<div><div>Rockwell/Meritor</div><div>8 5/8" 4551Q</div><div>2P 32</div><div>16 1/2"</div><div>Drive &amp; Trailer Axles</div><div>D</div><div>Q</div></div>	<div><div>Rockwell/Meritor</div><div>8 5/8" 4710Q</div><div>2R 32</div><div>15"</div><div>Drive &amp; Trailer Axles</div><div>D</div><div>Q</div></div>	<div><div>Rockwell/Meritor</div><div>8 5/8" 4711Q</div><div>2R 28</div><div>16 1/2"</div><div>Drive &amp; Trailer Axles</div><div>D</div><div>Q</div></div>	

ID by:

## 1 Shoe Width




- 2 Then use any of:
- anchor-end style;
  - typical shape/holes;
  - number of rivets;
  - drum size;
  - number of anchor pins; or
  - axles where the shoe is typically used.

Log-on and Learn from the Best  
On-line training that's available when you are - 24/7/365.  
Visit [brake-school.com](http://brake-school.com).

**Bendix Spicer Foundation Brake LLC**  
A Bendix CVS and Dana Joint Venture  
[foundationbrakes.com/1-866-610-9709](http://foundationbrakes.com/1-866-610-9709)

BW7547 Rev 004 ©2017 Bendix Spicer Foundation Brake LLC • 12/17 • All Rights Reserved



Note: Shoe designations ending in the number two (2), were in some cases previously designated with the name "II" (the Roman numeral two). Additionally, some shoes whose names end in the letter "Q" may have previously been designated "R" or "Q(R)".

## Protect the Value of Your Brake Shoes During Shipment

### Pallets

- The Bendix-recommended pallet size is 40" x 48".
- Do not ship oversized pallets, they often break in transit.
- Only use pallets in good condition, made of dense hardwood, that are able to safely support the weight of the shipment.

### Corrugated Cardboard

- Pallets should have a layer of corrugated cardboard placed on the deck before the shoes are loaded.

### Stacking the Shoes

- Do not return shoes in their original boxes.
- Do not stack more than 100 shoes per (40" x 48") pallet.

### Cover the Shoes

- Pallets should have at least one layer of corrugated cardboard placed on the top of the pallet BEFORE the stretch film and banding is applied.
- Do not use plywood or pallets on top.

### Stretch Film Wrap

- Attach one copy of the Core Return (CR) form under the stretch film, and a second copy on the outside.
- The stretch film must be secured to the pallet.
- Use at least eight turns of stretch film.

### Banding

- After the stretch film, all pallets should have:
- at least four bands to secure the product to the skid.
- at least two bands per side (length/width).

### Shipper information

- Each piece of freight should be clearly marked with the shipper address, consignee address, and pro number. The second CR form should also be placed on the outside.

### Shipping

- See the core routing map at [bendixcorefreight.com](http://bendixcorefreight.com)



Any references on this wallchart to company names or trademarks are solely for identification and cross reference purposes. Bendix Spicer Foundation Brake LLC does not represent any parts shown as products manufactured or remanufactured by the companies so named herein.